

CONTROLS

In This Section38-46

Transfer Switches38

Power Inlet Boxes38

Transformers39

Contactor's.....39-40

Starters41

Relays, Pilot/ Indicator Lights41-43

Limit Switches, Micro Switches.....44

Plug-In Relays.....45-46

Proximity Switches46

Non-Metallic Power Inlet Boxes
 Water-resistant flanged cover. UL Listed
 For heavy-duty outdoor residential or commercial
 installations. Features an exclusive POP-FAST 3/4"
 knockout for fast installation. Slide out base permits
 easy access for fast wiring. 6.25 H x 6.25 W x 4.25 D



Cat #PBN20
 Reliance Outdoor, NEMA 3R, L14-20, 20A @
 125/250VAC. Max. Generator running Watts-5000
 \$51.95



Cat #PBN30
 Reliance Outdoor, NEMA 3R, L14-30, 30A @
 125/250VAC. Max. Generator running Watts-7500
 \$51.95



Cat #PBN50
 Reliance Outdoor, NEMA 3R, L14-50, 50A @
 125/250VAC. Max. Generator running Watts-10000
 Use with CS6364
 \$72.45



Generator Power Cord Sets- 20A
 20 Amps, L14-20P/L14-20C Connector Ends

Cat #	Feet	Each
PC20-20	20	\$35.50
PC20-40	40	\$44.25



GENERATOR CORDS with L1430 Ends

30 Amp 125/250v. 10AWG, 4W Nema Generator Cords UL (cULus).
 One L1430 male molded plug and one L1430 female connector.
 Water and weather resistant, SJTW rated for temperatures
 to 105° C. These power cords are normally used on generators
 in the 7500 Watt range

Cat#	Feet	Price
10-GEN	10	\$34.99
20-GEN	20	\$54.99
40-GEN	40	\$99.99



30A RELIANCE TRANSFER SWITCH
 Cat #30216A
 Reliance 6 Circuits, 30A Transfer Switch for Gen-
 erators up to 7500 Watts with NEMA L14-30 power
 outlets. Pre-wired with individual wires marked by
 circuit. Indoor surface-mount design.
 NEMA TYPE 1. Made in USA
 \$249.99



60A RELIANCE TRANSFER SWITCH
 Cat #30310A
 Reliance, 4 Prong, 10 Circuits, 60A Transfer Switch
 @ 120 VAC OR 30A @ 240VAC. For Generators up
 to 7500 watts, 6 @15A and 4@ 20A, built in
 wattage meter. NEMA TYPE 1. Made in the USA
 \$328.80



Jefferson Electric Machine Tool Transformers
 Primary 380/600V Secondary: 120V

Cat #	Va	Each
636-1138	100	\$24.50
636-1168	250	\$34.50
636-1198	500	\$49.50
636-1218	1000	\$79.50



Jefferson Electric Indoor H.I.D. Lamp Ballast

Cat #	Primary	Watt	Each
337-1370	Multi-tap	250/H37 Mercury	\$29.50
237-1361	Multi-tap	1000/H36 Mercury	\$39.50
337-1388	480	1000/H36 Mercury	\$39.50



Cutler Hammer Foot Switch
 Cat #10251H40B
 Heavy Duty foot Switch, front treadle with guard.
 NEMA 4 , 600V AC or DC. 2 N.O., 2 N.C.
 \$49.50



GE Transformer
 Cat # 9T51B0011
 1.50 KVA, 1 Phase, 60 Hz,
 Primary 240/480V,
 Secondary: 120/240V
 Weight: 44 LBS
 \$69.30

CONTROLS



Transformers

Cat #E98992
 4" mounting plate included
 w/1/2"KO, Primary: 120/208/240v, 60hz
 Secondary: 24v, 40VA

WOW!

	Lots/4	\$11.50
	Lots/10	\$9.50
	Lots/10	\$8.25



Cat #TRANS-16
 Door Bell Transformer, Load 16V, 10VA,
 Line 120V, 60HZ

	Lots/6	\$4.25
	Lots/24	\$2.98



Cat #TRANS-20VA
 Mounted on a 4" square plate Primary: 120v
 Secondary: 24v-20VA

	\$2.00
--	--------



Cat #EM57583
 Triple tap, Line 120V, 60Hz, 8V, 10VA, 16V, 10VA,
 24V, 20VA Class 2 Not Wet, Class 3 Wet.

	\$6.00	
	Lots/6	\$4.90



Cat# T7752
 75VA, 120/208/240/480. Primary--
 24V Secondary. Heavy duty transformer w/
 Circuit Breaker Primary: 24v

	\$18.95
--	---------



Jefferson Dry Type Transformer
Cat #220-036
 Indoor class B, general use 1 Phase, high volts 600,
 low volts 120/240, .150KVA, 50/60HZ

	\$18.00
--	---------



Cat #N631339-B
 Line 120V, 50/60HZ, B&W, Load 26V, 78VA,
 Orange, 7.1V 14.2VA Blue, 1/2" KO's

	\$14.50	
	Lots/4	\$11.50



Cat #7752
 Primary: COM 120/208/240/480V, 50/60HZ.
 Secondary: 24v/75va. Circuit Breaker Protection

	\$19.50
--	---------



Cat #TFM-52658
 Acme Single Phase, KVA .750, 50/60 Hz.
 Primary: 120V. Dual Secondary: 16V each

	\$69.00
--	---------



Transformer
Cat #T2404
 40VA Primary :Com/120/208/240V 50/60 Hz
 Secondary:24 VAC 40VA

	\$6.95	
	Lots/6	\$5.95



Nutone Transformer
Cat#515-T
 For chimes and general purpose. 10A-5W
 for 120v 50/60Hz AC. UL Listed

	Lots/6	\$4.50
		\$3.50



Plug In Transformer
Cat #D6300-04
 Plug in class 2 transformer . Input 120V-60Hz, 9W
 Output:3VDC, 300mA. Indoor use only.

	Lots/10	\$1.25
		\$.75



Universal AC/DC Adapter
Cat #1454
 Changes AC to DC, 300mA/5W.
 Volt change: 3 - 4.5 - 6 - 7.5 - 9 - 12v DC

	Lots/12	\$1.45	Lots/6	\$2.49	\$1.95
--	---------	--------	--------	--------	--------



Current Transformer
Cat #500T-152
 Kele & Associates, Ratio: 1500:5A, 50-400Hz,
 600V, Class 10KV BIL

	\$75.00
--	---------



Line Matching Transformer
Cat #W7010
 Line matching transformer for multiple speaker
 systems. 70V line-10W Max.

WOW!

	Lots/4	\$2.00
		\$1.45



USED Take Outs - OPEN TYPE CONTACTOR
Arrow Hart Open Type Contactor
Cat #ACC-4308057
 3 Pole Contactor 24v- 28 DC ,
 40A per pole. Used take out.

	\$4.95
--	--------



Cat #ACC-52327
 4 Pole contactor 24V DC coil
 60 Amps per pole. Used take out.

	\$4.95
--	--------


GE Take Outs - Excellent Conditions
Cat #9T51B0004
 Type : QB. 1 Phase 0.100 KVA
 Frequency: 60Hz. Primary:240V 480V
 Secondary: 120V 240V
 No Taps. Indoor/Outdoor Type 3R Enclosure. UL

	\$14.95
--	---------

CONTROLS

3-Pole Definite Purpose Contactors

These contactors will control air conditioners, refrigeration compressors, other motor controls.



Amps	Volts	Cat #	Each
30	24	ACC-338-UM10	\$14.95
30	120	ACC-338-UM20	\$14.95
30	208/240	ACC-338-UM30	\$14.95
40	24	ACC-438-UM10	\$31.50
40	120	ACC-438-UM20	\$31.50
40	208/240	ACC-438-UM30	\$31.50
50	24/120	SA-3G-50	\$32.50
60	24	ACC-633-UM10	\$39.50
60	120	ACC-633-UM20	\$39.50
60	208/240	ACC-633-UM30	\$39.50
75	120	ACC-730-UM20	\$59.50
90	24	ACC-930-UM10	\$69.50
90	120	ACC-930-UM20	\$69.50
90	208/240	ACC-930-UM30	\$69.50
120	24	ACC-1230-UM10	\$275.00
120	120	ACC-1230-UM20	\$275.00
120	208/240	ACC-1230-UM30	\$275.00



Cat #CR453AC3HBBDD00AB
GE, 3P, 24V coil, 50-60 cycle, 30A, dual voltage, single phase 2-5Hp, 3 phase 10-15Hp, 30A inductive, 40A resistive. **\$10.50**
Lots/4 **\$8.45**



Square D Definite Purpose Contactor
Cat #7001CG12S1
Fully enclosed Definite Purpose contactor, 2A for 6V system, 3A for 12v system, 6V coil, 1 Normally Open, 1 Normally Closed **\$8.50**



Square D Contactor
Cat #8502SC02V02S
Size 1, 3P, 7-1/2hp/208, 10hp/460-575. 120v coil. NO enclosure **\$95.00**



Square D Definite Purpose Starter
Cat #8911DPS043S8V02
SQD Definite purpose Starter, Series A.
Coil: 120V 60Hz/110V 50 HZ. Rating: 600 VAC Max.
Class:8911, Type DPSO 43S8 V02
Form: DB37 with electronic trip **\$42.50**



Gould Contactor
Cat #2200-EB53JA
50 Amps inductive, 60 Amp resistive, 3 Poles, with auxiliary contact Normally Open, 24-28V **\$12.50**



Furnas Contactor
Cat #42BE25AG35OR
240VAC, 208-240V coil, 4-Pole, Contacts: 4PST, RATING:30-40A, 240VAC
Lots/6 **\$21.50**
\$17.50



Struthers-Dunn Contactor
Cat #A112XAX
100-130V 60Hz shunt coil, single pole. 1A-93 MA
60Hz series coil Contacts 115VAC 2A.
Remove contactor & makes great pull box **\$4.99**



Contactors
Cat #11607
Mfg. Essex. 3-Pole, Coil: 208/240V, 50/60Hz. 35 LRA 250V **\$7.49**



GE Lighting Contactor
Cat #CR360ML20BAG
3-Pole, 20A per pole, Coil:120V. NEAM Type 1 **\$149.00**



Westinghouse Oil Tite Contact Block
Cat # OTIA
Normally Open, Normally Closed, 600VAC Max, 250VOC Max **\$5.00**



Cat #OTIC
Double block Rear connected. Heavy Duty 600VAC Max **\$5.00**



Cat #OT1M1
2 Position, Half Stroke Push Button **\$5.00**



Westinghouse Oil Tite Contact Block
Cat # 450D818G04
OTIC Oil Tite Contact Block. Double block rear connected **\$7.00**



Struthers-Dunn Hinge Cover Box for Pull Box
Cat#HC853 8X5X3 **\$4.00**
Cat#HC643 6X4X3 **\$3.00**



Illuminated Push Buttons
Cat #10250T476
Cutler-Hammer, Designed to make direct metallic contact to rear of panel. Full Voltage 250V Max, Series B2 **\$14.50**



Cat #CR104PBL00A1S8
GE, Green Light, Full Voltage Unit 24V, AC/DC **\$24.50**



Cat # CR104PBL11R1S2
GE heavy duty 30.5 MM, 1 N.O - 1 N.O. Lamp type: 130V steady incandescent. Red Lens, 120V. Extended button w/o guard. Momentary operator. Water/Oil tight. **\$19.50**



GE Pilot Light Transformer
Cat #CR104PBT11A3SE
Standard with guard. 30MM. Rating: 600VAC/VDC, 10A. Operational type, 1 N.O - 1 N.C. 120V. Lamp included, Cap/Lens cap is not included. Chrome plated Zinc bezel **\$19.50**



Square D Socket Track Mounted
Cat #8501NK3T
Series C, 11 pin spade terminals
Lots/6 **\$1.60**
\$1.25



Allen - Bradley Manual Starter
Cat #609-BOWX307
Allen-Bradley, Start/Stop with thermal overload, 3 Phase: 200-230V, 7-1/2HP, 460-575V, 10HP Single Phase: 115V, 2HP, 230V, 3HP. Encl. not incl. UL Listed
Lots/4 **\$59.00**
\$49.00



AC Manual Starter
Cat #2510MBG2
Square D, Nema M-o, 3 Pole, 5H.P.- 380-575V
Nema 1 Can, Requires 3 Type B, Thermal Units **\$89.00**



FPE PROTECTIT - Manual Starter
Cat #4003-T01SN
Single pole single throw, NEMA1 enclosure manual starter **\$7.95**



SQD Nema Manual Switch
Cat #2510-KG1
30A-600V 2-Pole @ 3Hp **\$32.50**

New Item

CONTROLS

Thermal Units Are Available At \$9.00, Different Coil Voltages Available

WOW!



Cat #	Nema	Current	Motor Volts	Max. HP	Each
8536SAG12V02S	00	9	230	1-1/2	\$193.30
			460	2	
8536SBG2V02S	0	18	230	3	\$216.00
			460	5	
8536SCG3V02S	1	27	230	7-1/2	\$249.40
			460	10	
8536SDG1V02S	2	45	230	15	\$537.95
			460	25	
8536SEG1V02S	3	90	230	30	\$894.65
			460	50	
8536SFG1V02S	4	135	230	50	\$1295.00
			460	100	

Kit for Type 8536 Start/Stop Push Button Cat #9999-SA2 Square D full voltage starters indoor enclosures 6-600V; 50-60hz for type "S" NEMA Size 00-4 \$53.65

Square D Hand-Off-Auto Selector Switch Cat #9999-SC2 For Type "S" voltage starters, and contacts in NEMA 1 enclosures w/NEMA size 00 - 3 \$53.65



GE Magnetic Starter Cat #CR306B10400ADTSU Gray, Size 0 Starter w/ 120V coil Hand-off-Auto, Start Button On-Off Pilot Lights w/ .050 KVA Control Transformer in a NEMA 1 enclosure 3 Pole- 3 overloads \$159.00



Siemens Magnetic Starter Cat #SSL1B4210C8522CC SIEMENS IEC, Size 0, 3-Phase, 240V Coil Magnetic Starter with H.O.A. Overload range .16-.25 Amps NEMA 1 Encl. \$79.00



QA Line Magnetic Contactor Cat #SA-3S-30-120V 30 Amp, 3 Poles, Coil 120VAC 50//60Hz, 600 VAC UL listed Lots/6 \$19.50 \$14.50



Westinghouse AC Magnetic Starter Cat #A200MACAC A200 series Industrial Electric AC Magnetic Starter, non-reversing starter. NEMA Size 00, 3P Block Type Overload Relay Coil. 110/120V, 50/60hz. \$129.00



Sharp AC Magnetic Contactor Cat #RRLYUQ006YBEO 120V Coil, 1.3A, 150V AC . 5 Position Contactor \$8.95



QA Line Magnetic Contactor Cat #SA-2S-30-24V 30A, 2P. Coil: 24V AC Lots/6 \$5.95 \$4.49



Magnetic Contactor Cat #SA-3A-60-120V 60A, 3P. Coil: 120V AC \$29.00



FASCO Magnetic Contactor Cat #30F030 40A, 3P, 3 Phase. Coil: 208-240V,50/60Hz \$9.50



Manual Motor Starters Cat #AH7810-UD ARROW HART, 3P, 3-Phase, 30A- 600V AC starter switch \$24.88



Bryant Motor Starter Cat #60003 Bryant AC, 3P, 60a, 600 VAC without overload protection. 10HP, 240 VAC, 25 HP, 480 VAC, 30 HP 600 VAC Lots/4 \$35.00 \$28.50



General Electric Replacement Coil Cat #5D21G003 Size 0, 230-240V 60Hz, 220V 50Hz, Series A \$7.50



IEC Enclosed Starter Cat #ABBK11-CMDR9003 3-Pole, 480V, 3Hp with a 120V coil, 50VA control transformer, 3 position selector switch.(Hand/Off/Auto) Adjustable overload 4.5-6.5 Amps includes auxiliary contacts. \$149.50 Other HP Ratings Available!



Cutler-Hammer MS Starter Cat #MST01 Single pole, single phase, toggle operated, 1HP @ 115/220vac \$18.85



Westinghouse Enclosed MS Starter Cat #MST01AH 1-P, 1HP, 115-230V AC, starter single-phase, toggle, cast aluminum, NEMA 3-4-5, watertight thru 3/4" hubs \$24.50



Allen Bradley Thermal Units - Subject to Availability Cat #N1N75 N1 thru N75, overload heater \$7.00



Cat #W1W83 W1 thru W83, overload heater \$7.00



White-Rodgers Heat Level Sensor Cat #24A11-12 Rated load 240V AC, 25A non-inductive, 25V coil \$2.50



Westinghouse Thermal Overload Block Relay Cat #AN13P Load & Control: 600V AC Max Control Circuit Rating: 240VA 3P, Nema Size 1, Panel mounting, UL USA \$24.95



GE Overload Relay Cat #CR224C510A 3P, open, size 1, no enclosure, standard pilot duty, 600v max. AC Volts/Amps: 115V/3A, 230V/1.5A, 460V/.75A, 575V/.6A \$17.50



GE Overload Relay Cat #RT2G Nema 3 thermal setting. Range:42-55A Separate mounting. 4.63-H 4.65-W 2.44-D \$34.50

Order Toll Free: 800-647-9471

B&B TRADING
Electrical Supplies

41

CONTROLS



Push Button Stations

General purpose push-button station, normally used with A/C magnetic starters 1/2" & 3/4" conduit holes on each end. Surface mounted, totally enclosed, meets UL and C.S.A. flame retardant standards. All contacts are inlaid silver. 600v/10a continuous duty.

Actual size is 4-1/2" x 2-1/2"

Description	Cat #	Each
Start, Stop	600	\$28.95



General purpose, momentary contacts, standard duty NEMA 1 enclosure. Surface mounted, metal enclosure. 1/2" and 3/4" conduit holes on each end. Silver contacts, totally enclosed, easy to use 3/4" square buttons, UL approved phenolics, ground screw connections, size 5-51/6" x 2-3/8" 240v AC Max. for pilot circuits. Contacts N.O., N.O., N.C.

Description	Cat #	Each
Open, Close, Stop	PBS-601	\$14.49
Up, Down, Stop	PBS-602	\$14.49
Fwd, Reverse, Stop	PBS-603	\$14.49



Dust Cover Enclosures for PRD Series

Cat #RC-35D013

Base and cover is heavy gauge sheet metal, 4, 1/2" KO's for .5" dia. conduit, 3, #10 holes on 1.875" x 4.125" centers. Dimensions 5-1/16L x 3-3/8W x 3-1/8" H. Hardware included.

\$9.85



Allen-Bradley Power Relay

Cat #700-HG42A27

DPST-NO DPDT, 2P, 2 form C, AgCdo Contacts, 30A-277AC

\$4.95



Allen Bradley AC Relay-

Cat #700-BR400A1

10A, 600v A-B control relay, coil 120V, 4P, NO, NC. Heavy Duty 10A per leg 600V rating. Series A

\$49.00



Relay Control

Cat #2180

24V, coil relay, 5 normal open, 3 normal closed, 2A-125V

\$5.00



Cruzet Solid State Relay "Smart Module"

Cat #84060001-P1401

Supplies electrical and visual feedback if an error occurs. 4-32 VDC push-pull transistor alarm

\$2.00



Potters & Brumfield Relay Control

Cat #109P607

20A Rating 24V, Coil, Ideal for Fans etc.....

\$6.00



Plunger Relay

Cat #53243-60

Detroit control 120V Plunger Relay.

\$1.45



Leviton- Add A Relay

Cat #6783-120v 120v Coil

Cat #6783-277v 277v Coil

Coil activated by 120v or 277v isolated contacts 600w-120v AC, 1800va-120v, 2800va- 277v AC. Used in occupancy installations when controlling more than one circuit when the circuit exceeds max allowable rating of unit

\$14.50



Allen-Bradley Overload Relay

Cat #592-B0V16

Size 0-1, 3 Poles, Nema: Open

\$34.50



24V Relay

Cat #2P2HRLY

24v, DC, single throw, 2 normally open

\$6.00



24V Relay

Cat #91252-566

8A single Pole, 24V Relay. Great for Refrigerators, AC, etc

\$3.29

Lots/10

\$2.69



Stancor Relay

Cat #84-50201-101

SP, ST, 125V, 250V 1.5A Rated 3A

\$3.50

Lots/4

\$2.49



Dayton General Purpose Relay

Cat #5X845

Mercury displacement, .60A, 120V, 60hz. SPTST

\$18.50




General Purpose Relays

25a @ 277VAC, 1HP @ 120VAC, 2HP @ 250VAC,

10a @ 600VAC, 7a @ 0VDC RES.

Single Pole, Single Throw

Volts	Cat #	Each
24	RC-PRD3AY024	\$15.98
120	RC-PRD3AY0120	\$15.98
240	RC-PRD3AY0240	\$16.32



Single Pole, Double Throw

Volts	Cat #	Each
24	RC-PRD5AY024	\$18.28
120	RC-PRD5AY0120	\$18.28
240	RC-PRD5AY0240	\$18.69



5a @240VAC, 20a @277VAC 1HP @120VAC, 2HP @250VAC, 10a @ 600VAC, 7a @ 50VDC RES.

Double Pole, Single throw, normally open

Volts	Cat #	Each
24	RC-PRD7AY024	\$19.55
120	RC-PRD7AY0120	\$19.55
240	RC-PRD7AY0240	\$19.92



Double Throw, Normally Open

Volts	Cat #	Each
24	RC-PRD11AY024	\$24.01
120	RC-PRD11AY0120	\$24.01
240	RC-PRD11AY0240	\$24.30



Square D D.C. Magnetic Relay

Cat #8501GDO-20

115v, 10a, 300v.max d.c, open type series A 2 normally open poles

\$7.00



Magnetic Relay

Cat #9575H2615-45

Cutler Hammer, Type AA, 208V 60HZ Coil, 2PDT, 2 N.O. 2N.C., Per Pole 12A, 600V AC Max

\$12.50

Lots/4

\$9.50



Electromagnetic Relay

Cat #W99AX-4

2P, 1HP, 115/230V AC 1P 25A 115/230 AC 1PH, COIL 24V AC normally open normally closed, DPDP throw.

\$9.50

Lots/4

\$7.50



SQD Miniature General Purpose Cube Relays

Cat #8501-RSD14MP14V53

Plug-in, 4 pole double throw 5A contacts, 24V DC Coil. 14 Pin

\$7.49



Klockner-Moeller Switch

Cat #PKZ1

6A 3 Pole. On/Off Switch

\$4.95

Close-out! Regular Price: \$39.00

42

B&B TRADING
Electrical Supplies

24 Hour Fax: 800-964-3173

CONTROLS



Reliant Lighting Control Relay
 Cat #2R9
 1Hp,120VAC, 50-60Hz. 5 wire lead with female end. Coil 24 VAC momentary . Cast iron is suitable for concrete use. For use with FS style covers, Copper free aluminum finish. Single Gang device with opening to splice, tap or pull conductors for maintenance and future system changes. Suitable in wet locations when used w/ gasket cover.

\$3.45



Enclosed Relay
 Cat #7001-CG12-S1
 SQD, NO/NC circuit for 12V coil @3A or 6V @ 2A. Fully enclosed

\$4.95



Sylvania Top Deck Accessory Kit
 Cat #PB6-20
 For P6 Control Relay, bulletin 7306, 2 Poles, 10A, 600VAC, NEMA A600

\$5.00



White Rogers Silent Operator Relay
 Cat #24A07E-1 A2
 25a-208V, SPST, level temp, normally open, type 24A07E-1 A2, For Electric Heating Equipment. Ideal for baseboards and wall insert heaters!

Lots/4 \$12.50



Mears Silent Thermal Relay
 Cat #MR2-208
 Transformer:208VAC, Load Rating:22A 208V each pole. Double Pole single throw. Applications: baseboard, ceiling and floor cable, duct and wall heaters

\$17.50



Mears Controls Thermal Relay
 Cat #MR2-277
 MR2 series, 2P, 18A-277V each pole DPST, Great for electric heat!

Lots/4 \$23.95

\$19.88



GE Contactor/Relay
 Cat #CR453AC3HBBD00AB
 24V coil, 50/60Hz, 30A, definite purpose pressure type #8-16 AWG, lug type #4-14 AWG

Lots/4 \$9.95

\$8.50



Westinghouse Control Relay
 Cat #ARD4T
 4 Pole, Coil: 24V DC. Rating: 600V

\$9.50



Deltrol Control Relay
 Cat #20106-85
 10a SPDT, Coil 240VAC, 1/6 Hp
 10a 120 VAC, 1/3 Hp, 240 VAC, 8 pin

\$6.95



Control Relay
 Cat #8502PDD310E
 Square D, Class 8502, Type PDD 3.10E, 20A, 24V, 3 Pole with auxiliary

\$29.00



Square D Industrial Control Relays
 Cat #8501XM060V0Z
 120V coil, 20A contact, 8 Pole, Type XMO 60, Form 9814, Series A

Lots/4 \$89.00

\$74.50



Cat #8501XD040V56
 Convertible Contacts, 48V coil, 4 Pole contact normally open, 4 line/ 4 load, Series A

\$60.00



SQD Open Type AC Control Relay
 Cat #8501-G020
 120-60/110-50 coil rating, series D, type G0-20, class 1, 2 normally open contacts, rating NEMA A300

\$9.00



Encased Relays For Electric Heat
 Designed for electric baseboard heating with low voltage thermostats. 25A resistive, thermostat current 0.15A at 24 VAC, 6W output. 18" leads Model 31BLTE/BLTE switch/ transformer Double Line Break

Cat#	Volts	Each
120031-062	120v	\$19.50
120031-063	208v	\$19.50



White-Rodgers Fan Time Delay Control
 Cat #24A20-4
 60 cycle, 120v-16a, 240v-12a

\$7.50



White Rogers- Level Temp Sequencers
 Cat #24A15-13
 Heater input voltage 25 VAC Rating:240V



Lots/6 \$4.95

\$3.95



P&S Manual Control
 Cat #1221-B
 Brown, 15a-120/277v, 1/2 HP 120v, 2HP 240v, SPDT, fiber terminal insulation barriers, accepts maintained contact. #14-#10AWG, On/Off/On

\$3.89



Reversing Drum Switch
 One piece heavy gauge pressed steel metal frame. Spring, roller and cam action incorporated to prevent "arching" and "burning" of contacts. Corrosion protected. Forward-Off-Reverse, 6 stationary, maintained contacts.

Cat #	Horsepower		Each
	S/Phase	Polyphase	
RS-1	1-1/2 -2	2/2	1 \$46.95
RS-2	1-1/2 -2	2/2	2 \$72.90
RS-5	2- 3	3/5	7-1/2 \$96.45



Reversing Drum Switch
 Cat #806DS2109
 Allen-Bradley 12 pole, 10A, 600V AC with 2 reverse positions and 3 forward positions

\$69.00



Pilot/Indicator Light w/leads
 Cat #1020D90
 Indicator light with 10" leads 250V- 1/2 watt

Lots/10 \$1.45

\$9.95



Pilot Light
 Cat #309602
 Amber Light, JEMCO, 125V, 1/3W

Lots/25 \$9.95

\$7.75



Selector Switch
 Cat #800H-JR2KR7
 Allen-Bradley, Bulletin 800H/800T, 3 Position, with Black Knob

\$19.50



Heat/Cooling Pump Switch
 Cat #10-85
 5 position Heat/Cooling pump switch 2 Hp/240V 25A @ 250V. Stainless Steel

Lots/6 \$2.95

\$2.45



Electronic Siren
 Cat #21750
 2 tone, 20W, red wire, 12DC Black wire- Ground

\$5.95




Order Toll Free: 800-647-9471

B&B TRADING
 Electrical Supplies

43


CONTROLS

 Guard Magnetic Contact Switches
Cat #HS-3
Magnetic contact devices monitors the opening and closure of doors and windows. As these are most common place of entry by your alarm system. Attached either by surface contact self adhesive or screw mount. 3 terminal, NO/NC


Lots/6 \$4.95
\$3.95

 Float Switch
Cat #SD-FS-9036
Square D, Type FD


Lots/6 \$7.50
\$6.00

 Square D Sump Pump Float Switch
Cat #9036LG1B
Class 9036, type LG1B, 120v-12a 1/2hp, 0°-60°-45°-85° min. tether length 3", max. tether length 36", exceeds type 6P requirements. 10 foot 16/2 SJOW cord w/piggyback plug


Lots/4 \$14.00
\$11.50

 SQD Open Tank Float Switch
Cat #9035
1 hp, 230v 1 N.O,1 N.C. float switch designed for automatic control of AC or DC pump motor magnetic starter or for auto direct control for light motor loads. Wall or floor mounts.


\$149.00

 Water Pump Switch Relay
Cat #WPSR
Fully enclosed with GE Relay 851128-01,w/ capacitor, Mallory 243-292MFD 165VAC. For artesian wells


\$9.50
Lots/4 \$6.50

 Ward Leonard Selector Switch
Cat #5M101
Hand-Off-Auto heavy duty selector switch for NEMA type 1 enclosure cover


\$7.50

 Micro Switch
Cat #DTE6-2RN
Micro Switch, Enclosed, Compact 15a, side mount, Straight Plunger


\$44.50

 Lox-Switch
Cat #L100WDL
Gould, R.B. Denison, Heavy Duty Limit Switch, Type L, NEMA A600, SPDT, 2 N.O. 2N.C.


\$35.00
Lots/4 \$29.50

 Machine Tool Pressure Switch
Cat #3837524008
Square D, Type G, Class 9012, adjustable differential, 1500 psig, decreasing


\$124.75

 Automatic Pressure Switch
Cat #11-30444-F
For compressed air or water systems. Automatically switch electric motor on or off at pre-set values. 40-60# pressure. Adjustable differential within setting.


\$9.95
Lots/4 \$8.49

 Cutler Hammer Limit Switch
Cat #10316H18
Heavy duty, water tight, oil tight, w/ roller lever, 2 normally open, 2 normally closed


\$79.00

 Arrow Hart Load Limit Switch
Cat #LL-032-U
1-1/2 H.P. @ 110/120v, 2 H.P. @ 220/440v, 3P, 3-phase, no enclosure


\$14.88

 Magnetic Operated Limit Switch
Cat #CR115A19
230V AC, CO, cable entry 1/2" NPT. Types 3R, 4, 12, 13. Class 1, Class 11 Groups. Hazardous area. UL


\$24.50

 SQD D Limit Switch
Cat #9007-TUB4
Heavy duty, Limit Switch Series B Type TUB4

\$79.00

 Micro Switches
Cat #BZ-RSX
15a, 125, 250 or 460v, 1/4HP @125v, 1/2HP @ 125v, 1/4 @ 250V normally open, normally closed, (3) screw terminals


Lots/4 \$6.95
\$5.95

 Cat #V3-21-D8
11a-1/3 hp 125/250/277v, 4a-125v "L" plug in style


\$1.25
Lots/10 \$.95

 Cat #3TM-4A
15A, 1/2HP @ 125V, 250V normally open, normally closed. COM plug in style


\$1.25
Lots/10 \$.95

 Cat# AML32FBP7AC
Micro DP momentary switch 10a- 1/2 @ 125 or 250 pilot light style.


\$4.95
Lots/6 \$3.95

 Cat #BZE6-2RQ2
Momentary or maintained contact, side or flange mount. UL, CSA Cert. Cast zinc housing.


\$26.67

 Cat #BZV6-62Q9
15a-125/250/480v, 1/8 H.P -125v, 1/4 H.P.-250v normal open, normal close with ground screw


\$17.50

 Micro Limit Switches
Cat #23EN9-6
4 Wire, Double Pole. Stainless steel enclosure, welded joints, roller plunger


\$39.50

 Woodhead 4' Micro-Change Assembly
Cat #702000D02F040
Receptacle Micro-Change 250V, 4A, 2-Pole female straight, 4' 22/2 AWG,PVC with braided shield cord


\$1.25
Lots/10 \$.95

 Honeywell Air Flow Switch
Cat #S688A
SPDT switch, 240v maximum, makes at 250 FPM maximum, breaks at 75 FPM minimum

\$17.50

 Oil Tight Push Buttons
Cat #CR104G
GE, Green, Oil-tight, momentary push button, 150v maximum, 1 normal open, normal closed

\$4.50
Lots/10 \$4.00

 Cat #3AMP5W
1" wide white, 3a-125v, normally open, push off, w/leads

\$1.25
Lots/10 \$.95

CONTROLS



2 Key Alarm Switch
 Cat #2KEYASW
 Normally open, normally closed, (2) keys alike
 Ideal for burglar alarms, \$4.95



Low Temp Cutout Control
 Cat #A11B-1C
 Range 35° / 45° F, Auto Reset, Series A11,
 Johnson Controls, Avoid over cooling or icing. \$12.50



Emergency Stop Button
 Cat #10250A39
 Cutler Hammer, For Fryer & Grill, Series
 DC No. 78-2113, Red push button \$95.00



Motor Reset Button
 Cat #5AMRB
 5A, cabinet mounted \$2.00



AGASTAT Timer
 Cat #7022AF
 7000 series electro pneumatic timing relay,
 Off-delay model, delay range: 1-10 minutes, 120V,
 switch: snap action, DPDT \$69.50
 Lots/3 \$49.50



AGASTAT 1.5-15 Sec Timer
 Cat #7012RC
 Coil 60VDC Time: 1.5-15 Sec. Serial #81110195 \$85.00



AGASTAT Timing Relay
 Cat #70120CL
 Coil 24VDC Time :1.5-15 Sec
 Serial #81110195
Many other Sizes Limited quantities- Call for your discounted price.



AGASTAT 5-50 Timer
 Cat #7022RD
 Coil 60VDC time 5-50 Sec
 Serial #81110213
 Off-Delay model, delay range 120v \$85.00



8 Pin Socket
 Cat #27E122
 Potter & Brumfield, 10A 300V, 1 to 3 Poles,
 KRP series, screw terminal \$2.95
 Lots/6 \$2.10



11 Pin Plug-In Relays
 Potter & Brumfield, 3P, Double Throw, Octal Base

Cat #	Coil	Hz	Each	Lots/6
KRP14A-24	24V AC	50-60	\$9.95	\$8.50
KRP14A-12	12V AC	50-60	\$9.95	\$8.50



Relay
 Cat #84-10208-101
 AC only 250v 8A, 1/2hp 125-250V DC ,
 Coil 120v 50/60 CY \$3.75
 Lots/6 \$3.25



Proximity Switches
 Omron, 3W, 6' Gray Cord

Cat #	Desc	Each
E2E-X10MF1	12 to 24 VDC	\$39.50
TL-X2F2	10 to 40 VDC	\$37.00
TL-N10ME1	10 to 30 VDC	\$34.00



Skinner Solenoid Valve
 Cat #C3DM1125
 2-Series Solenoid valve 120v 60 cycle \$9.95



Panel Meters

Cat #	Desc.	Each
5015	0-6 DCV	\$7.50
8502Z	0-3 ACA	\$7.50
50-250344NDND1	0-15V	\$24.50



CROUZET - Din Rail Mount Solid State Relay
 Cat #GRD-84130222
 Two phase solid state relay. Control voltage 90-208-
 vac Drop out voltage 10 VAC. Max input 6, type zero
 crossing. Line voltage 48-530 vrms. 90mm 2&3
 phase din-rail SSR. Din-rail or panel mount. LED
 indicator, AC or DC control. Zero AC or random turn on
 models UL cUL .CE compliant \$9.95



Relay & Control Corp. Relay Sockets
 Cat #RC-121
 11 Pin Square Base, 10a DIN Rail Mountable \$6.14



Cat #RC-122
 8 Pin Octal Base, 10a DIN Rail Mountable \$3.29



Cat #RC-123
 11 Pin Octal Base, 10a DIN Rail Mountable \$5.55



Cat #RC-27E123
 11 Pin Octal Base, 10a \$5.13



Cat #BND-1000
 DIN Rail, 36 Incls \$9.31



Cat #RC-27E121
 11 Pin Square Base, 10a \$5.13



Cat #RC-27E892
 11 Pin Octal Base, 10a \$7.79


Relay & Control Corp. 8 & 11 Pin Octal Base Plug-In Relays

10 Amp Silver-Cadmium Oxide Contacts - Push-to-
 test-button, Features: Mechanical life expectancy
 10,000,000 operations at rated load 100,000, "N
 series includes highly visible Neon/LED voltage or
 current in circuits. Lamp lights when coil is energized



AC Volts - 10a - Single Pole Double Throw (SPDT)

8 Pin Plug-In			
Cat #	Coil Volt	Contact	Each
RCRP1CAC6	6V.AC	SPDT	\$11.35
RCRP1CAC12	12V.AC	SPDT	\$11.35
RCRP1CAC24	24V.AC	SPDT	\$11.35
RCRP1CAC120	120V.AC	SPDT	\$11.35



AC Volts - 10a - Double Pole Double Throw (DPDT)

8 Pin Plug-In			
Cat #	Coil Volt	Contact	Each
RCRP2CAC6	6V.AC	DPDT	\$12.67
RCRP2CAC12	12V.AC	DPDT	\$12.67
RCRP2CAC24	24V.AC	DPDT	\$12.67
RCRP2CAC120	120V.AC	DPDT	\$12.67
RCRP2CAC240	240V.AC	DPDT	\$12.67

AC Volts - 10a - Three Pole Double Throw (3PDT)

11 Pin Plug-In			
Cat #	Coil Volt	Contact	Each
RCRP3CAC6	6V.AC	3PDT	\$15.59
RCRP3CAC12	12V.AC	3PDT	\$15.59
RCRP3CAC24	24V.AC	3PDT	\$15.59
RCRP3CAC120	120V.AC	3PDT	\$15.59
RCRP3CAC240	240V.AC	3PDT	\$16.57

CONTROLS

With Indicator Lamp - AC Volts - 10A - Double Pole Double Throw (DPDT) 8 Pin Plug-In

Cat #	Coil Volt	Contact	Each
RCRP2CACN6	6V.AC	DPDT	\$14.95
RCRP2CACN12	12V.AC	DPDT	\$14.95
RCRP2CACN24	24V.AC	DPDT	\$14.95
RCRP2CACN120	120V.AC	DPDT	\$14.95
RCRP2CACN240	240V.AC	DPDT	\$15.26

With Indicator Lamp - AC Volts - 10A - Three Pole Double Throw (3PDT) 11 Pin Plug-In

Cat #	Coil Volt	Contact	Each
RCRP3CACN6	6V.AC	3PDT	\$17.59
RCRP3CACN12	12V.AC	3PDT	\$17.59
RCRP3CACN24	24V.AC	3PDT	\$17.59
RCRP3CACN120	120V.AC	3PDT	\$17.59
RCRP3CACN240	240V.AC	3PDT	\$18.44



DC Volts - 10Aa - Single Pole Double Throw (SPDT) 8 Pin Plug-In

Cat #	Coil Volt	Contact	Each
RCRP1CDC6	6V.DC	SPDT	\$11.35
RCRP1CDC12	12V.DC	SPDT	\$11.35
RCRP1CDC24	24V.DC	SPDT	\$11.35
RCRP1CDC110	110V.DC	SPDT	\$12.57

DC Volts - 10A - Double Pole Double Throw (DPDT) 8 Pin Plug-In

Cat #	Coil Volt	Contact	Each
RCRP2CDC6	6V.DC	DPDT	\$13.75
RCRP2CDC12	12V.DC	DPDT	\$13.75
RCRP2CDC24	24V.DC	DPDT	\$13.75
RCRP2CDC48	48V.DC	DPDT	\$13.75
RCRP2CDC110	110V.DC	DPDT	\$13.81


DC Volts - 10A - Three Pole Double Throw (3PDT) 11 Pin Plug-In

Cat #	Coil Volt	Contact	Each
RCRP3CDC6	6V.DC	3PDT	\$15.52
RCRP3CDC12	12V.DC	3PDT	\$15.52
RCRP3CDC24	24V.DC	3PDT	\$15.52
RCRP3CDC48	48V.DC	3PDT	\$16.36
RCRP3CDC110	110V.DC	3PDT	\$16.80

With Indicator Lamp - DC Volts - 10A - Double Pole Double Throw (DPDT) 8 Pin Plug-In

Cat #	Coil Volt	Contact	Each
RCRP2CDCN6	6V.DC	DPDT	\$14.35
RCRP2CDCN12	12V.DC	DPDT	\$14.35
RCRP2CDCN24	24V.DC	DPDT	\$14.35
RCRP2CDCN110	110V.DC	DPDT	\$15.52

Relay & Control Inc. General Purpose Enclosed Square Base Plug-In Relay 10 Amp Silver-Cadmium Oxide Contacts - All alternating current relays (AC) operate at 60Hz. KUP1C, KUP2C, KUP3C square base relays plug into relay socket RC27E121.



AC Volts - 10A - Double Pole Double Throw (DPDT) Enclosed Square Plug-In

Cat #	Coil Volt	Contact	Each
KUP2CAC6	6V.AC	DPDT	\$10.62
KUP2CAC12	12V.AC	DPDT	\$10.62
KUP2CAC24	24V.AC	DPDT	\$10.62
KUP2CAC120	120V.AC	DPDT	\$10.62

AC Volts - 10A - Three Pole Double Throw (3PDT) Enclosed Square Plug-In

Cat #	Coil Volt	Contact	Each
KUP3CAC6	6V.AC	3PDT	\$12.69
KUP3CAC12	12V.AC	3PDT	\$12.69
KUP3CAC24	24V.AC	3PDT	\$12.69
KUP3CAC120	120V.AC	3PDT	\$12.69
KUP3CAC240	240V.AC	3PDT	\$13.39

DC Volts - 10A - Double Pole Double Throw (DPDT) Enclosed Square Plug-In

Cat #	Coil Volt	Contact	Each
KUP2CDC6	6V.DC	SPDT	\$10.31
KUP2CDC12	12V.DC	SPDT	\$10.31
KUP2CDC24	24V.DC	SPDT	\$10.31
KUP2CDC110	110V.DC	SPDT	\$11.07

DC Volts - 10A - Three Pole Double Throw (3PDT) Enclosed Square Plug-In

Cat #	Coil Volt	Contact	Each
KUP3CDC6	6V.DC	3PDT	\$11.77
KUP3CDC12	12V.DC	3PDT	\$11.77
KUP3CDC24	24V.DC	3PDT	\$11.77
KUP3CDC48	120V.DC	3PDT	\$12.49
KUP3CDC110	240V.DC	3PDT	\$13.80

Single Pole has been discontinued